


What is claimed is:

1. A therapeutical method comprising administration of a composition comprising a monoclonal antibody with either a β -(1,3)-glucan like laminarin or an oligo- β -(1,3)-glucan and a pharmaceutically acceptable carrier, to a human being or to a warm-blood animal suffering from cancer in an amount which is effective to treat the cancer.

2. The method according to claim 1, wherein the oligo- β -(1,3)-glucan is a compound presenting the following formula (1):



in which $n=1$ to 10, preferably, $n=2$ or 3, or a pharmaceutical acceptable salt thereof.

3. The method according to claim 2, wherein the monoclonal antibody is any monoclonal antibody specific to molecular determinants present on cancer cells and simultaneously able to activate complement.


4. The method according to claim 1, wherein the cancer is leukemia, adenocarcinoma, breast cancer, lung cancer, ovarian cancer, oesophagus cancer, gastric cancer, intestinal cancer, non-Hodgkin lymphoma or colon cancer.

5. The method according to claim 1, wherein the monoclonal antibody and either a β -(1,3)-glucan like laminarin or an oligo- β -(1,3)-glucan are administered simultaneously, sequentially or successively.

5 6. The method according to claim 1, wherein the composition for use in a successive, sequential or simultaneous treatment can be administered intravenously or intraperitoneally to the patient, under the form of injections, ointment, pulmonary
10 spray; and the composition for use in a sequential treatment can also be administered in the following way: the monoclonal antibody is administered intravenously while the β -(1,3)-glucan like Laminarin or oligo- β -(1,3)-glucan is administered orally to the
15 patient, under the form of a solution, suspension, syrup, tablet, capsule.

7. The method according to claim 1, wherein the effective amount of either β -(1,3)-glucan like Laminarin or oligo- β -(1,3)-glucan is 2 to 20mg/kg when
20 administered orally.

8. Pharmaceutical composition under the form of an injection, ointment, pulmonary spray comprising a therapeutically effective amount of a monoclonal antibody and either β -(1,3)-glucan like Laminarin or an oligo- β -(1,3)-glucan of formula (1)



- in which $n=1$ to 10, preferably $n=2$ or $n=3$,
or a salt pharmaceutically acceptable salt thereof,
10 and a pharmaceutical acceptable carrier,
said composition being free of any other glucan.

9. Pharmaceutical composition according to claim 9, further comprising a chemotherapeutic agent.